

MATERIAL SAFETY DATA SHEET

Product Name: NBond Stud Adhesive

Australian Standards: Complies with Australian Standards AS2753 – 1985

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

Product Name: NBond Stud Adhesive
Product Code: NBSA
Product Use: NBond Stud Adhesive is water based acrylic adhesive, used to bond plasterboard to timber and metal studs for wall and ceiling lining.
Company Name: Nashco Pty Ltd
Address: 28 Carrington Street Queanbeyan East 2620
Email: support@nashco.com.au
Telephone: +61 2614 3400
Website: www.nashco.com.au

Other Information: This MSDS summaries to the best of our knowledge the health and safety hazard information of the product and how to safely handle and use the product in the workplace.

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical: Liquid
Characterization
Ingredients:

Name	CAS	Proportion	Hazard Symbol	Risk Phrase
Calcium Carbonate	1317-65-3	20 - 60%	T	R10, R23/24/25, R65
Acrylic Copolymer	Proprietary	10 - 50%		
Others	N/A	0 - 8%		
Medium Aliphatic Petroleum	64274-88-7	0 - 1%		
Biocide	2634-33-5	0 - 1%		

3. HAZARDS IDENTIFICATION

NBond Stud Adhesive is **not** classified as Hazardous.

Ingestion: Ingestion may cause nausea and vomiting
Skin: Repeated or prolonged skin contact may cause irritation
Eye: Can cause soreness. A mild eye irritant.

4. FIRST AID MEASURES

Inhalation: Move victim to fresh air. Seek medical attention if effects persist.
Ingestion: Rinse mouth thoroughly with water. Give plenty of water, do not induce vomiting. Seek medical attention.
Skin: Wash off skin with warm soapy water.
Eye: Immediately irrigate with copious quantity of water for at least 15 minutes. Hold eye lids open. Seek medical attention.
Advice to Doctor: Treat Symptomatically

5. FIRE FIGHTING MEASURES

Specific Hazards: Only the dried residue will burn in the presence of an ignition source.
Flammability: Non flammable in paste form.

6. ACCIDENTAL RELEASE MEASURES

Spills & Disposals: Scrape up spills into waste container and allow to harden. Prevent contamination of waterways.

7. HANDLING AND STORAGE

Storage: Store in a cool area out of direct sunlight.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection: Use safety glasses, especially when applying ceilings.
Hand Protection: Rubber gloves to avoid skin contact
Eng. Controls: Use with adequate ventilation.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Thick non flowable paste
Melting Point: Not applicable
Boiling Point: Not applicable
Solubility in Water: Completely Dispersable
Specific Gravity: 1.40 – 1.50
(H2O=1)
pH Value: 7.5 – 8.5
Vapour Pressure: Not applicable
Physical State: Non Flowable Paste
Viscosity: 800,000 – 1,000,000 cps at 25°C.
Colour: Light blue
Flammability: Non flammable in paste form.

10. STABILITY AND REACTIVITY

This product is stable when stored under normal storage conditions. Store away from incompatible materials.

11. TOXICOLOGICAL INFORMATION

Ingestion: Ingestion may cause nausea and vomiting
Skin: Repeated on prolonged skin contact may cause irritation.
Eye: can cause soreness. A mild eye irritant.

12. ECOLOGICAL INFORMATION

Avoid contaminating drains and waterways.

13. DISPOSAL CONSIDERATIONS

Dispose of according to local government regulations.

14. TRANSPORT INFORMATION**Storage and
Transport**

Not classified as hazardous. Transport in original container.

Not classified as dangerous.

15. REGULATORY INFORMATION

Poisons Schedule: Not scheduled

16. OTHER INFORMATION**Contact Person/Point:****In Australia:**

Nashco Pty Ltd +61 2614 3400 (Business Hours)

For emergency information outside normal business hours, please ring 1800 033 111.

The information herein is given in good faith, but subject to the Trade Practices act 1974, no warranty, expressed or implied, is made.

Last Change:

Date of last change: November 2024.

Poison Schedule:

Not scheduled

...End of MSDS...